

CONCUSSION RELATED INDICATIONS FOR IMMEDIATE TRANSPORT TO ER

- Loss of Consciousness (LOC) > 5 min
- Confusion or impairment of consciousness > 30 min
- Persistent vomiting or increasing headache
- Post-concussion seizure
- Focal neurological signs (motor or sensory or cranial nerve deficits; unequal, dilated, or uncreative pupils)
- Deterioration in level of consciousness
- Signs or symptoms of spine or skull fracture

REFERRAL GUIDELINE / TIME TABLE

- 1. When do we want them in the office
- 2. Monitor athlete 24-48 hours Refer if signs/symptoms do not change
- 3. Refer to physician for evaluation with protocol information
- 4. Immediate if altered consciousness

PHYSCIAN REPORTING MATERIALS

- 1. Evaluation Form
- 2. SCAT5 / VOMS
- 3. ImPACT Test
- 4. 7 Day Scale
- 5. Concussion Communication Log
- 6. MD Note
- 7. Academic Accommodations

PARENT / GUARDIAN NOTIFCATION

- 1. Parent Injury Report
- 2. Evaluation Form
- 3. SCAT5 / VOMS
- 4. ImPACT Test
- 5. Concussion Treatment Plan
- 6. Return To Play Protocol
- 7. OHSAA Concussion Protocol
- 8. MD Note